Biopolymers

Author Index—Volume 45

Anderson, J. P.
Morphology and Crystal Structure of a Recombinant Silk-Like Molecule, SLP4, 307
Ando, I. See Kameda, T., 333
Ando, S. See Kameda, T., 333
Andrews, B. K. See Makarov, V. A., 469
Antohi, O.
—; Marepalli, H. R.; Yang, W.; Becker, J. M.; Naider, F.: Conformational Analysis of Cyclic Analogues of the *Saccharomyces cerevisiae* α-Factor Pheromone, 21
Ariyoshi, Y. See Ota, M., 231

Balaram, P. See Raghothama, S., 191
Banumathi, S. See Raghothama, S., 191
Barth, A.
—; Martin, S. R.; Bayley, P. M.: Resolution of Trp Near UV CD Spectra of Calmodulin-Domain Peptide Complexes into the ^1L_a and ^1L_b Component Spectra, 493
Baumann, G. See Földes-Papp, Z., 361
Bayley, P. M. See Barth, A., 493
Becker, J. M. See Antohi, O., 21
Benegas, J. C.
—; Cesàro, A.; Rizzo, R.; Paoletti, S.: Conformational Stability of Biological Polyelectrolytes: Evaluation of Enthalpy and Entropy Changes of Conformational Transitions, 203
Bertocchi, C. See Cantoni, C., 157
Birch-Hirschfeld, E. See Földes-Papp, Z., 361
Bogracheva, T. Ya.
—; Morris, V. J.; Ring, S. G.; Hedley, C. L.: The Granular Structure of C-Type Pea Starch and Its Role in Gelatinization, 323
Bohidar, H. B.
Light Scattering and Viscosity Study of Heat Aggregation of Insulin, 1
Borgström, J. See Wittgren, B., 85
Braccini, I.
—; Heyraud, A.; Pérez, S.: Three-Dimensional Features of the Bacterial Polysaccharide (1 → 4)-β-D-Glucuronan: A Molecular Modeling Study, 165
Briggs, J. M. See Zhou, H.-X., 355

Camalli, M. See De Santis, P., 257
Cantó, J. See Pérez, J. A., 479
Cantoni, C.
—; Zennaro, F.; Bertocchi, C.; Mariotti, P.; Rizzo, R.: C6-Oxidized Cellulose: Ion Interactions with Mono- and Divalent Cations, 157
Casad, R.
—; Georgalis, Y.: Aggregation of Dermorphin and L-Ala Dermorphin Examined by Light Scattering at Sub-NMR Concentrations, 341
Cesàro, A. See Benegas, J. C., 203
Chaddha, M. See Raghothama, S., 191
Coulaud, D. See Le Cam, E., 217

Delain, E. See Le Cam, E., 217
Delben, F. See Denef, B., 105
Delrow, J. J.
—; Heath, P. J.; Fujimoto, B. S.; Schurr, J. M.: Effect of Temperature on DNA Secondary Structure in the Absence and Presence of 0.5 *M* Tetramethylammonium Chloride, 503
Denef, B.
—; Gamini, A.; Delben, F.; Paoletti, S.; Reynaers, H.; Vanneste, K.: Thermodynamics of Conformational Transition and Chain Association of ι-Carrageenan in Aqueous Solution: Calorimetric and Chirooptical Data, 105
De Santis, P.
—; Palleschi, A.; Scipioni, A.; Camalli, M.; Spagna, R.; Zanotti, G.: Conformations of Oligoprolines with Different Configurational Sequences and Their Association Complexes with Alkali and Alkali-Earth Ions, 257
Donoso, J. See Frau, J., 119

Eickhoff, H. See Földes-Papp, Z., 361
Ewig, C. S. See Hwang, M.-J., 435

Feng, Y.
—; Jefferson, E. A.; Goodman, M.: Cold Denaturation of a Synthetic Collagen Mimetic, 347
Földes-Papp, Z.
—; Baumann, G.; Birch-

Hirschfeld, E.; Eickhoff, H.; Greulich, K. O.; Kleinschmidt, A. K.; Seliger, H.: The Analysis of Oligonucleotide Preparations by Fractal Measures, 361

Frau, J.
—; Donoso, J.; Muñoz, F.; García Blanco, F.: Calculations on the Low Energy Conformers of N-Acetyl-D-Alanyl-D-Alanine, 119

Fujimoto, B. S. See Delrow, J. J., 503

Fukushima, Y.
Genetically Engineered Syntheses of Tandem Repetitive Polypeptides Consisting of Glycine-Rich Sequence of Spider Dragline Silk, 269

Gamini, A. See Denef, B., 105

García Blanco, F. See Frau, J., 119

Georgalis, Y. See Casad, R., 341

Gérard, D. See Le Cam, E., 217

Goodman, M. See Feng, Y., 347

Gresh, N.
—; Tiraboschi, G.; Salahub, D. R.: Conformational Properties of a Model Alanyl Dipeptide and of Alanine-Derived Oligopeptides: Effects of Solvation in Water and in Organic Solvents—A Combined SIBFA/Continuum Reaction Field, Ab Initio Self-Consistent Field, and Density Functional Theory Investigation, 405

Greulich, K. O. See Földes-Papp, Z., 361

Guo, T. See Jiang, B., 35

Hagler, A. T. See Hwang, M.-J., 435

Han, J.
—; Herzfeld, J.: Interpretation of the Osmotic Behavior of Sickle Cell Hemoglobin Solutions: Different Interactions Among Monomers and Polymers, 299

Haro, I. See Pérez, J. A., 479

Hashizume, D. See Kameda, T., 333

Heath, P. J. See Delrow, J. J., 503

Hedley, C. L. See Bogracheva, T. Ya., 323

Herzfeld, J. See Han, J., 299

Heyraud, A. See Braccini, I., 165

Hoskins, A. R.
—; Robb, I. D.; Williams, P. A.: Selective Separation of Proteins from Mixtures Using Polysaccharides, 97

Hwang, M.-J.
—; Ni, X.; Waldman, M.; Ewig, C. S.; Hagler, A. T.: Derivation of Class II Force Fields. VI. Carbohydrate Compounds and Anomeric Effects, 435

Ilangovan, U.
—; Ramamoorthy, A.: Conformational Studies of Human Islet Amyloid Peptide Using Molecular Dynamics and Simulated Annealing Methods, 9

Immaneni, A.
—; McHugh, A. J.: Flow-Induced Conformational Changes and Phase Behavior of Aqueous Poly-L-Lysine Solutions, 239

Jefferson, E. A. See Feng, Y., 347

Jiang, B.
—; Guo, T.; Peng, L.-W.; Sun, Z.-R.: Folding Type-Specific Secondary Structure Propensities of Amino Acids, Derived from α-Helical, β-Sheet, α/β, and $\alpha + \beta$ Proteins of Known Structures, 35

Kameda, T.
—; Takeda, N.; Ando, S.; Ando, I.; Hashizume, D.; Ohashi, Y.: Structure of GlyGly Peptide in the Crystalline State as Studied by X-Ray Diffraction and Solid State ^{13}C-NMR Methods, 333

Kemper, B. See Yang, X., 69

Kleinschmidt, A. K. See Földes-Papp, Z., 361

Krebs, A.
—; Lamy, J.; Vinogradov, S. N.; Zipper, P.: *Lumbricus terrestris* Hemoglobin: A Comparison of Small-Angle X-Ray Scattering and Cryoelectron Microscopy Data, 289

Lamy, J. See Krebs, A., 289

Le Cam, E.
—; Coulaud, D.; Delain, E.; Petitjean, P.; Roques, B. P.; Gérard, D.; Stoylova, E.; Vuilleumier, C.; Stoylov, S. P.; Mély, Y.: Properties and Growth Mechanism of the Ordered Aggregation of a Model RNA by the HIV-1 Nucleocapsid Protein: An Electron Microscopy Investigation, 217

Liu, B. See Yang, X., 69

Macgregor, R. B., Jr. See Poon, K., 427

Makarov, V. A.
—; Andrews, B. K.; Pettitt, B. M.: Reconstructing the Protein–Water Interface, 469

Marcus, E. See Raj, P. A., 51

Marepalli, H. R. See Antohi, O., 21

Mariotti, P. See Cantoni, C., 157

Martin, R. B.
Free Energies and Equilibria

of Peptide Bond Hydrolysis and Formation, 351
Martin, S. R. See Barth, A., 493
McCammon, J. A. See Zhou, H.-X., 355
McHugh, A. J. See Immaneni, A., 239
Mély, Y. See Le Cam, E., 217
Morris, V. J. See Bogracheva, T. Ya., 323
Mukhopadhyay, C.
Molecular Dynamics Simulation of Glycoprotein-Glycans of Immunoglobulin G and Immunoglobulin M, 177
Muñoz, F. See Frau, J., 119
Muroga, Y.
—; Nagasawa, M.: On the Flexibility of Poly(γ-Benzyl L-Glutamate) in Helicogenic Solvents, 281

Nagasawa, M. See Muroga, Y., 281
Naider, F. See Antohi, O., 21
Ni, X. See Hwang, M.-J., 435

Ohashi, Y. See Kameda, T., 333
Ota, M.
—; Shimizu, Y.; Tonosaki, K.; Ariyoshi, Y.: Role of Hydrophobic Amino Acids in Gurmarin, a Sweetness-Suppressing Polypeptide, 231

Palleschi, A. See De Santis, P., 257
Paoletti, S. See Benegas, J. C., 203
Paoletti, S. See Denef, B., 105
Peng, L.-W. See Jiang, B., 35
Pérez, J. A.
—; Cantó, J.; Reig, F.; Pérez, J. J.; Haro, I.: Conformational Behavior of the HAV-VP3(110-121) Peptidic Sequence and Synthetic Analog in Membrane Environments Studied by CD and Computational Methods, 479
Pérez, J. J. See Pérez, J. A., 479
Pérez, S. See Braccini, I., 165
Petitjean, P. See Le Cam, E., 217
Pettitt, B. M. See Makarov, V. A., 469
Piculell, L. See Wittgren, B., 85
Poon, K.
—; Macgregor, R. B., Jr.: Unusual Behavior Exhibited by Multistranded Guanine-Rich DNA Complexes, 427
Puiggalí, J.
—; Subirana, J. A.: An Experimental Ramachandran Plot for Retropeptide Derivatives: Conformational Features of Derivatives of GEM-Diamino and Malonyl Amino Acids, 149

Raghothama, S.
—; Chaddha, M.; Banumathi, S.; Ravikumar, K.; Velmurugan, D.; Balaram, P.: Conformational Interconversions in Peptide β-Turns: Discrimination Between Enantiomeric Conformations by Chiral Perturbation, 191
Raj, P. A.
—; Marcus, E.; Sukumaran, D. K.: Structure of Human Salivary Histatin 5 in Aqueous and Nonaqueous Solutions, 51
Raleigh, D. P. See Wu, W.-J., 381
Ramamoorthy, A. See Ilangovan, U., 9
Ravikumar, K. See Raghothama, S., 191
Reig, F. See Pérez, J. A., 479
Reynaers, H. See Denef, B., 105
Ring, S. G. See Bogracheva, T. Ya., 323
Rizzo, R. See Benegas, J. C., 203
Rizzo, R. See Cantoni, C., 157
Robb, I. D. See Hoskins, A. R., 97
Roques, B. P. See Le Cam, E., 217

Salahub, D. R. See Gresh, N., 405
Schurr, J. M. See Delrow, J. J., 503
Scipioni, A. See De Santis, P., 257
Seeman, N. C. See Yang, X., 69
Seliger, H. See Földes-Papp, Z., 361
Shimizu, Y. See Ota, M., 231
Spagna, R. See De Santis, P., 257
Stoylova, E. See Le Cam, E., 217
Stoylov, S. P. See Le Cam, E., 217
Subirana, J. A. See Puiggalí, J., 149
Sukumaran, D. K. See Raj, P. A., 51
Sun, Z.-R. See Jiang, B., 35

Takeda, N. See Kameda, T., 333
Tara, S. See Zhou, H.-X., 355
Thomas, G. J., Jr. See Wen, Z. Q., 247
Tiraboschi, G. See Gresh, N., 405
Tonosaki, K. See Ota, M., 231
Tsuboi, M. See Ushizawa, K., 135

Ueda, T. See Ushizawa, K., 135
Ushizawa, K.
—; Ueda, T.; Tsuboi, M.: Polarized Raman Spectrum of Single Crystal Uridylyl(3′-5′)Adenosine: Local Raman Tensors of Some Functional Groups, 135

Vanneste, K. See Denef, B., 105
Velmurugan, D. See Raghothama, S., 191

Vinogradov, S. N. See Krebs, A., 289
Vologodskii, A. V. See Yang, X., 69
Vuilleumier, C. See Le Cam, E., 217

Wahlund, K.-G. See Wittgren, B., 85
Waldman, M. See Hwang, M.-J., 435
Wen, Z. Q.
—; Thomas, G. J., Jr.: UV Resonance Raman Spectroscopy of DNA and Protein Constituents of Viruses: Assignments and Cross Sections for Excitations at 257, 244, 238, and 229 nm, 247
Williams, P. A. See Hoskins, A. R., 97
Wittgren, B.
—; Borgström, J.; Piculell, L.; Wahlund, K.-G.: Conformational Change and Aggregation of κ-Carrageenan Studied by Flow Field-Flow Fractionation and MultiangleLight Scattering, 85
Wu, W.-J.
—; Raleigh, D. P.: Local Control of Peptide Conformation: Stabilization of *cis* Proline Peptide Bonds by Aromatic Proline Interactions, 381

Yang, W. See Antohi, O., 21
Yang, X.
—; Vologodskii, A. V.; Liu, B.; Kemper, B.; Seeman, N. C.: Torsional Control of Double-Stranded DNA Branch Migration, 69

Zanotti, G. See De Santis, P., 257
Zennaro, F. See Cantoni, C., 157
Zhou, H.-X.
—; Briggs, J. M.; Tara, S.; McCammon, J. A.: Correlation Between Rate of Enzyme–Substrate Diffusional Encounter and Average Boltzmann Factor Around Active Site, 355
Zipper, P. See Krebs, A., 289

Biopolymers

Subject Index to Volume 45

Ab initio, 119
Acetal compounds, 435
Acetylcholinesterase, 355
Adenine, 135
Aggregation, 85
Aggregation dependence, 217
Aggregation, hydrophobic interactions, 239
Alanyl dipeptide, 405
AM1, 119
AMBER force field, 119
Amino acids, 35
Amylin peptide, 9
Anomeric effect, 435
Antifungal agents, 51
Aqueous solutions, 105
Aromatic amino acid, 247
Average Boltzmann factor, 355

Bacterial polysaccharide, 165
Biological polyelectrolytes, 203
Birefringence, 323
Branch migration, 69
Brownian dynamics, 355

Calcium ions, 157
Calmodulin, 493
Candidacidal peptides, 51
Capillary viscosity, 157
Carbohydrate compounds, 435
Carrageenan, 203
ι-Carrageenan, 105
κ-Carrageenan, 85
Cation–peptide complexes, 257
CD, 239, 479, 493
Cellulose, 157
Chain association, 105
Chain flexibility, 281
Chemical oxidation, 157
Chemical syntheses, 361
Chiral perturbations, 191
Chorda tympani nerve, 231
Cis proline, 381
Class II force field, 435
Cold denaturation, 347
Collagen peptide, 347
Computational study, 479
Conformation, 9, 85, 239, 405
Conformation of polypeptide chain, 281
Conformational interconversions, 191
Conformational stability, 203
Conformational transition, 105, 157
Conformational transitions, 203
Conformations of D-alanyl-D-alanine, 119
Conformations of oligoprolines, 257
Control of DNA structure, 69
Counterion condensation theory, 105
Crystal structure, 307
Crystal structures, 469
Crystalline state, 333
C-type starch, 323
Cyclic analogues, 21

Density distributions, 469
Density functional theory, 405
Deoxynucleoside, 247
Depletion flocculation, 97
Dermorphin, 341
(1 → 4)-β-D-glucuronan, 165
Diaminomethane, 149
Diffusional encounter, 355
Dilute insulin solution, 1
DNA, 247, 503
DNA branched junctions, 69
DNA methylation, 427
DNA stability, 427
Dynamic light scattering (DLS), 341
Dynamics, 361

Electron diffraction, 307
Electron microscopy, 217, 289
Electrophoresis, 427
Electrostatics, 355
Enantiomeric conformations, 191
Endonuclease VII, 69
Enthalpy, 203
Enthalpy of mixing, 105
Entropy, 203
Equilibrium constants, 381

α-Factor, 21
Fc region, 177
Flow field-flow fractionation, 85
Flow-induced, gelation, 239
Folding type–specific secondary structure propensities, 35
Fractal measures, 361
Free energy of hydrolysis, 351
Fructose, 165

Gelatinization, 323
Gels, 157
Genetic engineering, 269
Globular proteins, 469
Glycine-rich sequence, 269
Glycoprotein-glycans, 177
Glycyl peptides, 351
Granular structure, 323
Gurmarin, 231

Hard particle model, 299
α-Helical proteins, 35
Helical polypeptide chain, 281
Hemiacetal compounds, 435
Hemoglobin, 289, 299
Hepatitis A, 479
Hexagonal bilayer, 289
High-performance capillary electrophoresis, 361
High-performance liquid chromatography, 361
Human amylin, 9
Hydrated proteins, 469
Hydrodynamic properties, 1
Hydrolysis, 351
Hydrophobic amino acids, 231
Hypochromism, 247

Indole, 493
Intrinsic viscosity, 1
Ion transport across membranes, 257
Ion-exchange high-performance liquid chromatography, 361
Islet amyloid peptide, 9
Isomerization, 381
L-Ala dermorphin, 341
β-Lactam, 119
Light scattering, 1
Liposomes, 479
Lumbricus, 289

Malonamide, 149
Mechanism of aggregate growth, 217
Microcalorimetry, 105, 157
Molecular dynamics, 9, 177, 469
Molecular modeling, 165
Monomers, 299
Morphology, 307
Multiangle light scattering, 85

Nanomechanical device, 69
NCp7-induced polyA aggregation, 217

nmr, 51
Nmr, 381
Nucleotide to protein ratio, 217

Oligodeoxyribonucleotides, 361
Oligonucleotides, 361
Oligopeptides, 405
Oligoribonucleotides, 361
Opioid ligand selectivity, 341
Optical activity, 105
Osmotic behavior, 299

$\alpha + \beta$ Proteins, 35
α/β Proteins, 35
Pea starch, 323
Peptide conformation, 51, 149
Peptide β-turns, 191
Peptides, 351
Phase behavior, 97
Phase separation, 97
Pheromone, 21
Pisum sativum, 323
PLL, Raman, 239
Poisson–Boltzmann, 355
Polarized Raman spectrum, 135
PolyA-NCp7 interaction, 217
Polyelectrolytes, 105
Polymerization processes, 361
Polymers, 299
Polysaccharide, 105
Polysaccharides, 97
Poly(γ-benzyl L-glutamate), 281
Protein, 247
Protein concentration, 217
Protein folding, 347, 381
Protein unfolding, 347
Proteins, 381

Quatenary systems, 97

Ramachandran plot, 149
Raman cross section, 247
Raman tensor, 135
Recombinant silk-like molecule, 307
Retro-glycine, 149
Retropeptide, 149
Rhizobium meliloti, 165
Ring current shifts, 381

Saccharomyces cerevisiae, 21
Salivary histatins, 51
Salt concentration, 217
SCF/MP2, 405
Secondary structure, 503
Selective separation of proteins from mixtures, 97
β Sheet proteins, 35
β-Sheet structure, 269
SIBFA, 405
Sickle cell, 299
Silk I, 307
Simulated annealing, 9, 177
Skeletal myosin light chain kinase, 493
Small-angle x-ray scattering, 289
Solid state ^{13}C-nmr, 333
Solvation, 405
Spectroscopy, 493
Spider dragline silk, 269
Structural overlay, 119
Structure of GlyGly peptide, 333
Sucrose, 165
Superhelical torque, 69
Sweetness suppression, 231
Synthetic peptide, 231
Synthetic peptides, 479

Telomere, 427
Temperature, 503
Ternary systems, 97
Tetramethylammonium chloride, 503
Tetraplex, 427
Thermodynamics, 105
^1L_a transition, 493
^1L_b transition, 493
Three-dimensional models, 289
Three-dimensional reconstruction, 289
Tryptophan, 493
Type VI turn, 381

Uracil, uridylyl(3′-5′)adenosine, 135
UV resonance Raman spectroscopy, 247

Van't Hoff enthalpy, 381
Virus assembly, 247

Wide angle x-ray scattering, 307

X-ray diffraction, 333
X-ray structure, 257

Zimm and Bragg theory, 281